

INDEX MAPS.

T. 10 N. R. 13 E. 2nd Mer.

255	256	256	257	257		
259 6	263 5	266 4	271 3	271 2	1	
268	266	270	271			
259 7	262 8	266 9	270 10		11	12
262	265	270	270			
259 18	262 17	265 16	269 15		14	13
261	265	269	269			
258 19	261 20	265 21	268 22		23	24
261	264	268	268			
258 30	260 29	264 28	267 27		26	25
260	264	267	267			
257 31	260 32	263 33	267 34		35	36
254	254	254	255			

T. 11 N. R. 13 E. 2nd Mer.

276	276	276	277	277		
279 6	291 5	294 4	293 3	293 2	1	
291	292-294	292-294	292-293	292		
279 7	290 8	290 9	289 10	289 11	12	
288	288-290	288-290	288-289	289		
278 18	287 17	287 16	283 15	280 14	13	
286	287	283	283	280		
278 19	286 20	282 21	281 22	280 23	24	
285	285	282	281-298	297-298		
278 30	285 29	281 28	296 27	297 26	25	
284	284	295	296	297		
278 31	284 32	295 33	295 34	296 35	36	
274	274	274	275	275		

(P) The figures on the lines refer to the page.

Township 11 North, Range N^o 13 East 2nd Mer. Pa.

Ch. 9th? Township Lines
South Boundary.

East on S. side of Sec 31.

- from New Boundary, where
a Wh. Oak 22 in. dia. bears N 36 E. 24 lks.
+ a Do. 14 " " " S 60 W. 14 " dist.
8.25 a stream 4 lks. wide course N.
29.40 set gr. sec. post, from which
a Wh. Oak 17 in. diam. bears N 15 W. 37 lks.
a Gum 6 " " " N 27 E. 23 "
43.50 a stream 8 lks. wide course N. E.
48.44 a Sugar 11 in. diam.
61.30 a Brook 50 lks. wide course N. W.
69.40 set post cor. to Sec. 31 & 32, from which
a Sugar 8 in. dia. bears S 4 E. 8 lks. dist. &
a Wh. Oak 24 in. dia. " N 66 W. 17 " "
Land, hilly. Timber: Oak, Hickory &
Sugar Ash &c.

East on S. side of Sec. 32.

- 2.59 a Walnut 16 in. diam.
13.80 a stream 10 lks. wide course S.
14.54 a Sugar 14 in. diam.
40.00 set gr. sec. post from which
a Dogwood 5 in. diam. bears N 38 E. 29 lks.
+ a Bl. Gum 10 " " " S 39 E. 14 " dist.
73.50 an Elm 17 " "
76.25 a Brook 15 lks. wide course S. E.
80.20 set post cor. of Sec. 32 & 33, from wh.
a Sugar 12 in. dia. bears N 2 E. 18 lks. dist.
a Sugar 12 " " " S 2 E. 11 " "
Land, hilly. Timber: Oak, Sugar,
Hickory Ash &c. small & Brushy.

East on S. side of Sec. 33.

T. 11 N. R. 13 E. 2nd Mer. Indiana.

W. 40.

8.86 a Wh. Oak 36 in. diam.
 40.00 set q. sec. post, from which
 a Wh. Oak 11 in. dia. bears S 92, 6 W. dist.
 a Wh. Oak 8 " " " N 75 W. 29 " "
 63.60 a Wh. Oak 34 in. diam.
 80.00 set post cor. to Secs. 33 & 34, p. wh.
 a Wh. Oak 8 in. dia. bears S 86 E. 12 W. dist.
 & a Poplar 13 " " " S 84 W. 39 " "
 Land mainly. Timber: Oak Hickory
 Poplar, Sugar Ash, Dogwood.

East On E. side of sec. 34.

31.96 a Maple 40 in. diam.
 40.00 set q. sec. post, from which
 a Maple 8 in. dia. bears N 14 W. 14 W. dist.
 a Beech 6 " " " S 17 W. 21 " "
 48.08 a Wh. Oak 40 in. diam.
 80.00 set post cor. to Secs. 34 & 35, from wh.
 a Wh. Oak 16 in. dia. bears N 19 E. 27 W. dist.
 a Wh. Oak 16 in. " " S 37 W. 47 " dist.
 Land, flat, Timber: Oak, Maple
 Gum Poplar Hickory &c.

East On E. side of sec. 35.

3.04 - Intersect Boundary line &
 set post, from which
 a Blk. 18 in. dia. bears S 81 E. 14 W. dist.
 & a Wh. Oak 20 in. " " N 14 W. 22 " "
 January 22nd 1807.

Surveyed by

John Brownson
 Deputy Surveyor.

Went to where the line dividing Town-
 ships 10 & 11 of R. 13 intersects the
 Boundary line and continue the

276

T. 11 N. R. 13 E. 2nd Mer. Indiana.

Township line West 10.50, fell 583 k.
North of Township corner, set post
for the Cor. of Towns. 10 & 11 of Range
16 East from which

a Wh. Oak 30 in. dia. bears S 36 E. 24 k. dist.

a Wh. Oak 20 " " " N 70 W 20 " "

Surveyed in 1870

By Alexander Holmes,

Deputy Surveyor.

North Boundary.

East on S. side of sec. 31. T. 12 N. R. 13 E.

10.00 To River corner N. E.

40.00 Set gr. sec. post from which

a Iron wood 6 in. dia. bears S 22 E. 14 k.

& a Wh. Oak 8 in. dia. bears N 60 E. 21 k. dist.

Overflowed Bottom.

52.50 a Sugar 14 in. diam. over a high hill.

50.00 Set post Cor. to Sec. 31 & 32, from which

a Sugar 12 in. dia. bears S 70 W. 9 k. dist.

& a Sugar 8 " " " N 35 E. 14 " "

East on W. side of sec 32. T. 12 N. R. 13 E.

30.00 To River.

40.00 Set gr. sec. post. from which

a Dogwood in. diam. bears S 4 E. 21 k. dist. &

a Wh. Oak 38 " " " N 16 E. 22 " "

80.00 Set post Cor. to Sec. 32 & 33. from wh.

a mulberry 10 in. dia. bears S 6 E. 15 k. dist. &

an Ash 14 " " " S 40 W 45 " "

Good land. Timb. Beech, Sugar
&c. &c.

East on S. side of sec. 33. T. 12 N. R. 13 E.

6.50 To River corner N. E.

35.00 To Do. " S. E. 250 k. wide.

T. 11 N. R. 13 E. 2nd Mer. Indiana.

ex: \$10.

West Boundary

Van. 4th Co.

North on E. side of Sec 36. T. 11 N. R. 12 E.

30.00 a Brook 6 ft. wide Course N. E.

40.00 set gr. sec. post. from which
a B. Oak 24 in. dia. bears S 70 W 20 lb. dist.
a Dogwood 4 " " " N 34 E 70 " "

51.80 an Elm 12 " "

80.00 Set post Cor. to Sec. 25 & 36 from wh.

a Sapling 8 in. dia. bears N 4 E 15 lb. dist.

a Hickory 12 " " " S 45 E 24 " "

hilly poor Oak land.

North on E. side of Sec. 25. T. 11 N. R. 12 E.

40.00 set gr. sec. post. from which
a White Oak 18 in. dia. bears N 45 W 17 lb. dist.

a Do. 30 " " " N 41 W 18 " "

Land hilly and rich Timber

Oak Hickory Buckeye &c.

80.00 Set post Cor. to Sec. 24 & 25, fr. wh.

a Hickory 12 in. dia. bears South E 10 lb. dist.

& a Buckeye 8 " " " North 12 " "

North on E. side of Sec. 24. T. 11 N. R. 12 E.

2.50 a creek 100 ft. wide Course N. E.

40.00 Set gr. sec. post. from which
a Sugar 14 in. diam. bears N 12 E 5 lb. dist.

a Beech 18 " " " S 44 E 24 " "

54.00 a creek 50 ft. wide Course E.

80.00 Set post Cor. to Sec. 13 & 24, fr. wh.

a Sugar 24 in. dia. bears N 51 W 8 lb. dist.

a Sugar 8 " " " S 88 E 28 " "

Rich hilly land. Sugar & Hickory.

North on the E. side of Sec 13. T. 11 N. R. 12 E.

40.00 Set gr. sec. post. from which

a Beech 6 in. dia. bears S 88 E 15 lb. dist.

T. 11 N. R. 13 E. 2nd Mer. Indiana.

- a Beech 10 in. dia. bears N 62 W. 34 lb. dist.)
 hilly poor Oak land.
 58.60 a Hickory 18 in. diam.
 60.00 a Brook 5 lb. wide course N.E.
 80.00 set post Cor. to Secs. 12 & 13. from wh.
 a B. Oak 14 in. dia. bears S 34 W. 21 lb. dist.)
 a Wh. Oak 18 " " " N 32 E. 22 " "
 Poor hilly Oak land.

- North Cen. E. side of sec. 12. T. 11 N. R. 12 E.
 38.50 a Brook 10 lb. wide course E.
 40.00 set gr. sec. post. from which
 a Walnut 30 in. dia. bears N 63 W. 14 lb.
 & a Sycamore 36 in. " " S 4 W. 24 " dist.)
 80.00 set post Cor. to Secs. 11 & 12. from wh.
 a Beech 14 in. dia. bears S 18 E. 15 lb. dist.)
 a Do. 12 " " " N 18 W. 10 " "
 Hilly rich land.

- North Cen. E. side of sec. 1. T. 11 N. R. 12 E.
 12.50 a Brook 10 lb. wide course E.
 21.75 a Hickory 12 in. diam.
 35.00 a Brook 5 lb. wide course E.
 40.00 set gr. sec. post. from which
 a Beech 6 in. dia. bears S 35 W. 15 lb. dist.)
 & a Do. 8 " " " S 56 E. 8 " "
 72.00 White water 300 lb. wide C. E.
 80.00 set post Cor. to Towns 11 & 12 in
 Ranges 12 & 13 East. from which
 an Ash 10 in. dia. bears S 11 E. 9 lb. dist.)
 a Locust 15 in. " " N 42 W. 5 lb. " "
 Hilly rich land. Timber, Sugar
 Beech Hickory, &c.

Surveyed in 1810.

By Alexander Holmes
 Deputy Surveyor.

T. 11 N. Sec. 13 E. 2nd Mer. Indiana.

Ch. Ls.

Subdivision.

Nov. 15th 1810.

North on old line

Commenced at Cor. to Secs. 22, 23 26
and 27

40.40 To gr. sec. post.

44.90 To the Boundary line and set
post, from whicha Gum - in. dia. bears N 54 E. 18th dist.
& a Poplar - " " " N 11 W. 4 " "
then continue -

North Between Sections 22 & 23.

50.90 a Hickory 8 in. diam.

80.00 set post Cor. to Secs. 14, 15, 22 & 23.

a Beech 10 in. dia. bears S 36 E. 28th dist.a Do. 14 " " " North 13th rate
land.

East Between Secs. 14 & 23.

22.10 a Wh. Oak 22 in. diam.

38.10 Intersect Boundary line and set
a post, from whicha Dogwood 5 in. dia. bears N 73 W. 4th dist.

a Sugar 12 " " " N 64 E. 25 " "

Hilly, 3rd land.

North Between Secs. 14 & 15.

35.76 a Sugar 18 in. diam.

40.00 set gr. sec. post, from which

a Buckeye 8 in. diam. bears S 6 E - -

a Sugar 12 " " " N 6 E - -

46.50 a Stream 18th wide course E.

49.60 a Bl. Walnut 20 in. diam.

80.00 set post Cor. to Secs. 10, 11, 14 & 15, f. wh.

a Beech 8 in. diam. bears N 26 W. 27th dist.

a Sugar 12 in. diam. " S 32 E. 9 " "

T. 44 N. R. 13 E. 2nd Mer. Indiana.

Ch. Lk. Hilly 3rd rate land. Limb. Oak
Ash Sugar and Hickory.

North Between Sec. 27 & 28.

40.58 Old gr. sec. post.

72.93 To Boundary line.

80.00 Set post cor. to Sec. 21, 22, 27 & 28 -
a Wh. Oak 11 in. dia. bear N 76 E. 9 lb. dist.
a Hickory 20 " " " S 84 E. 10 " "

East Between sections 22 & 27.

11.50 Intersect Old Boundary line and
set a post, from which
a Poplar 12 in. dia. bear N 45 E. 35 lb. dist.
a Wh. Oak 6 " " " S 65 E. 5 " "
Over 3rd rate land Limb. Oak
Hickory & Poplar.

North Between Sec. 21 & 22.

7.60 a stream 20 lb. wide course N 60 E.

9.40 an Elm 12 in. diam.

37.00 a stream course S. E.

40.00 Set gr. sec. post. from which
a Wh. Oak 14 in. dia. bear N 38 E. 17 lb. dist.
a Wh. Oak 16 " " " N 56 W. 28 " "

53.42 a Wh. Oak 20 in. diam.

80.00 Set post cor. to Sec. 15, 16, 21 & 22.

a Beech 4 in. dia. bear N 77 E. 23 lb. dist.

a Beech 10 " " " S 88 W. 9 " "

This mile 3rd rate land. Limb.
Oak Hickory and Gum, surface
uneven.

North Between sections 28 & 29.

22.00 To Old Boundary line.

30.00 a Wh. Oak 6 feet in diameter.

T. 11 N. R. 13 E. 2nd Mer. Indiana.

40.00 Set gr. sec. post, from which
a Wh. Oak 16 in. dia. bears S 76 E. 8 lb. dist.
a Bl. Oak 20 " " " N 86 W = " dist.
68.30 a Wh. Oak 15 " "
80.00 Set post Cor. to sec. 20, 21, 28 & 29, from wh.
a Dogwood 6 in. dia. bears East, 7 lb. dist.
a Bl. Oak 30 " " " West 5 " "
Land, level poor, heavily timbered
with Wh. Oak.

East on Random Betw. sec. 21 & 28.
32.25 a small stream course S.E.
40.00 Set temp. gr. sec. post.
55.00 a stream 25 lb. wide crs. N 80 E.
70.50 a do. 20 " " " N.E.
80.40 Intersect N & G. line 44 lb. Chop post.
This mile over steep hills. Timber
thickly Wh. & Blk. Oak. 3rd rate land.

West corner line betw. sec. 21 & 28.
40.20 Set gr. sec. post. from which
a Sugar 10 in. dia. bears N 87 W. 14 lb. dist.
a Wh. Oak 14 in. " " N 42 E. = " "
80.40 Section corner.

North Between sections 20 & 21.
34.90 a Poplar 20 in. diam.
40.00 Set gr. sec. post. from which
a Beech 10 in. dia. bears N 61 W. 7 lb. dist.
a Hickory 10 in. dia. " S 30 E = " "
Over Broken 3rd rate land.
41.15 a Wh. Oak 24 in. diam.
80.00 Set post Cor. to Secs. 16, 17, 20 & 21.
a Wh. Oak 10 in. dia. bears N 69 E. 34 lb. dist.
a Gum 12 " " " N 69 W. 6 " "
Over hilly 3rd rate land. Timber.

T. 11 N. R. 13 E. 2nd Mer. Indiana.

Ch. W. Oak, Hickory Beech & Poplar.

East On Random between Secs. 16 & 21.
33.00 a stream 8th wide Crs. N.

40.00 set temp. gr. sec. post.

80.32 Intersect N & S line 6th S. of post.
Land, 3rd rate. Timbered with
Oak, Hickory &c.

East On Rand^m betwⁿ Secs 15 & 22.

40.00 set temp. gr. sec. post.

80.10 Intersect N & S line at post.
Over hilly 3rd rate land. Timb.
Oak, Hickory &c. many briars and
thick under bush.

West Correct line between Secs. 15 & 22.

40.05 set gr. sec. post. from which
a Bl. Oak 15 in. diam. bears N 35 W. 19th
& a Gum 10 in. dia. bears N 5 E. 6th dist.

80.10 Section Corner.

North Between sections 15 & 16.

7.50 a stream 10th wide Course E.

8.00 a Wh. Oak 50 in. diam.

40.00 set gr. sec. post. from which
a Beech 8 in. diam. bears N 88 W. 16th dist.
& a Do. 15 " " " S 51 E 30 " "

54.55 a Bl. Oak 15 in. diam.

80.00 set post Cor. to Secs. 9, 10, 15 & 16. fr. wh.
a Poplar 15 in. dia. bears N 38 E. 28th dist.
a Beech 8 " " " S 45 W. 27 " "
This mile hilly 3rd rate land
Timb. Oak Hickory Beech & Poplar.

West Correct line betwⁿ Secs. 16 & 21.

S. 11 N. R. 13 E. 2nd Mer. Ind. 9.

40.16 Set gr. sec. post, from which
a Wh. Oak 15 in. dia. bears N 78 W. 10 lb. &
a Bl. Oak 12 " " " N 14 E. 15 " dist.
80.32 Section Cor.

North Between Secs. 31 & 32.

40.21 Came to old gr. sec. post.
48.50 Intersect Boundary line and
set post, from which
a Wh. Oak 15 in. dia. bears N 19 E. 21 lb. &
a Sugar 9 in. dia. " N 74 W. 46 " dist.
68.80 a Wh. Oak 26 in. dia.
80.00 set post cor. to Secs. 29, 30, 31 & 32.
a Wh. Oak 8 in. dia. bears N 49 W. 28 lb. dist. &
a Sugar 7 " " " N 61 W. 34 " "
Land, hilly poor soil. Timber
Oak Hickory & Briers.

West Between Secs. 30 & 31.

44.00 set gr. sec. post, from which
a Sugar 9 in. dia. bears N 65 E. 16 lb. dist.
& a Hackberry 12 in. dia. " S 84 W. 17 " "
43.37 a stream 50 lb. wide cor. N 60 E.
80.18 Came to a new line saw no post
within 5 chs.

This line is over a succession of steep
hilly poor land, Timber Oak Hickory
and many briers. Set post from wh.
a Sugar 8 in. dia. bears N 3 E. 18 lb. dist. &
a Wh. Oak 14 " " " S 27 W. 19 " "

East Between Sections 29 & 32.

37.00 a stream 5 lb. wide S 60 W.
38.30 a Wh. Oak 30 in. diam.
40.00 set gr. sec. post, from which
a Bl. Oak 20 in. dia. bears S 3 W. 7 lb. dist.

T. 14. N. R. 13 E. 2nd Mer. and 9th

46.40 a Hickory 5 in. dia. bear N 77 W 17 lb. dist.
 47.75 Intersect Boundary line and set a
 post, from which
 a Wh. Oak 22 in. dia. bear S 43 E, 19 lb. dist.
 a Hickory 10 " " " N 25 E, 20 " "
 Over hilly 3rd rate land.

North Between Section 29 & 30.

4.15 a Red Oak 25 in. diam.
 19.15 a stream 6 lb. wide crs. N. 80 W.
 32.50 a stream 8 " " " S 60 W.
 40.00 Set ge. sec. post. from which
 a Wh. Oak 24 in. dia. bear S 10 W, 21 lb. &
 a Dogwood 4 " " " N 14 E, 4 " dist.
 48.15 a Wh. Oak 30 in. diam.
 70.80 a stream 4 lb. wide course W.
 80.00 Over steep hills. Much bush
 set post cor. to Secs. 19, 20, 29 & 30, from wh.
 a Poplar 30 in. dia. bear N 72 E, 21 lb. dist.
 a Wh. Oak 6 " " " N 84 W, 9 " "
 Soil thin. Limb. Oak Hickory &c.

West Between Secs. 19 & 30.

23.93 a Wh. Oak 30 in diam.
 40.00 Set ge. sec. post. from which
 a Sugar 10 in. dia. bear N 21 W, 17 lb. dist.
 a Wh. Oak 28 " " " S 64 E, 22 " "
 42.12 a stream 40 lb. wide crs. N.
 48.38 Intersect W. Boundary at post and
 set post cor. to Secs. 19 & 30, from wh.
 a Cherry 18 in. dia. bear S 37 E, 39 lb. dist.
 an hawwood 8 " " " N 7 W, 27 " "
 This mile very hilly, much under
 bush & Briers 3rd rate land.

East An Ransom betwⁿ Secs. 20 & 29.

40.00 set temp. g. sec. post.
80.51 Intersect N. & E. line 70 1/2 N. of post.
Land, level timber Wh & Bl. Oak.

West Corner line betwth Sec. 20 & 29.
40.25 set g. sec. post. from which
a Wh. Oak 22 in. dia. bear S 80 W. 14 N. 20 E.
a Do. 40 " " " N 48 E. 30 " dist.
80.51 Sec. cor.

North Between Sec. 19 & 20.
2.40 a Wh. Oak 20 in. diam.
40.00 set g. sec. post. from which
a Wh. Oak 20 in. dia. bear N 42 W. 11 N. 20 E. dist.
a Hickory 5 " " " S 67 E. 6 " "
70.70 a stream 10 ft. wide course W.
80.00 set post Cor. to sec. 17, 18, 19 & 20, from wh.
a Hickory 8 in. dia. is post.
Land, steep hills much brush and
briers.

West Between Sec. 18 & 19.
6.00 a stream 10 ft. wide N 60 W.
39.45 a Blue Ash 18 in. diam.
40.00 set g. sec. post. from which
a Wh. Oak 14 in. dia. bear S 77 E. 24 N. 20 E. dist.
a B. Ash 14 " " " N 38 E. 31 " "
60.00 To Pipe Creek 130 ft. wide cr. -
N 10 W but soon turns N. E.
76.05 set post on Town line corner to
Sections 18 & 19. a Mulberry 6 in.
diam stands for post.
[800 ft] Over steep hills thick brush
and briers, Int. Oak Hickory &c.
Look for Town line found it 3.95 ft.
Short of the 80.00.
76.05 set post on Town line cor. to sec. 18 & 19.
a Mulberry 6 in. dia. for corner.

S. 11 N. N. 13 E. 2nd Mer. Ind^a

East On Random betwⁿ Sec. 17 & 20.

40.00 set tempy. q. sec. post.

80.72 Intersect N & E line 40th N. of post.

This mile over steep points of hills
much brush and green briars thin
poor soil. Timber Oak, Hickory,
&c. &c.

North Between Sec. 16 & 17.

21.50 a Water Course 7th wide N. 70 W.

30.00 a Do. Do. 5 " " Course N.

40.00 set q. sec. post. from which
a Wh. Oak 20 in. diam. b. S. 22 E. 21th N. 25 " "

a Do 14 " " " N 10 W. 25 " "

62.30 a Bl. Oak 20 " "

80.00 set post cor. to Sec. 8, 9, 16 & 17, fr. wh.

a Wh. Oak 14 in. dia. b. S. 66 E. 22th N. 25 " "

a Gum 15 " " " N 45 W. 25 " "

Over easy hills, much brush &
briars. Timber Oak. 3rd rate land.

West Correct line betwⁿ Sec. 17 & 20.

40.36 set q. sec. post. from which
a Hickory 5 in. dia. b. S. 88 W. 10th N.

a Do. 16 " " " N 75 E. 20 " "

80.72 section corner.

North Between Sec. 17 & 18.

36.83 a Bl. Walnut 14 in. diam.

40.00 set q. sec. post. from which
a Sugar 6 in. dia. b. S. 40 E. 13th N. 34 " "

an Elm 6 " " " S 40 W. 34 " "

41.00 a stream 12th wide N 68 W.

64.47 a Sugar 15 in. diam.

80.00 set post cor. to Sec. 7, 8, 17 & 18

a Sugar 7 in. dia. b. S. 19 W. 12th N. 34 " "

T. H. N. R. 13 E. 2nd Mer. Indiana.

Ch. W. a wh. Oak 18 in. diam. bears North 16 lb. dist.
over very steep hills. much brush
entwined by briers and grapevines
3rd rate land.

West Between Sec. 7 & 18.

17.65 a Bl. Walnut in the edge of a
small Bottom.

20.50 Intersect Pipe Creek 130 lb. wide
Course N 25° W comes from S 25° W.
not fordable at this place.

40.00 set gr. sec. post, from which
a Sugar 5 in. diam. bears N 42° E. 10 lb.
a Do. 10 " " " S 74° W. 18 lb. dist.

47.50 a Hickory 30 in. diam.

73.50 Came to Mr. Holmes line and
set post, for which
a Wh. Oak 34 in. diam.
Land, hilly 3rd rate.

East On Random betwⁿ sec. 8 & 17.

40.00 set tempy. gr. sec. post.

80.46 Intersect N & E line.

This mile much brush and
green briers, poor land very
hilly.

East On Random between sec. 9 & 16.

40.00 set tempy. gr. sec. post.

61.50 a stream 10 lb. wide crs. N.

80.46 Intersect N & E line 28 lbs. E. of post.

Hilly 3rd rate land Timb. Beech
Oak and Poplar.

East On Random betwⁿ sec. 10 & 15.

12.50 a stream 8 lb. wid. & course N.

T11N. R. 13E. 2nd Mer. Indiana.

40.00 Set gr. sec. post. from which (temp.)
 79.80 Intersect N & E line 20 Mk. South of post.
 Land, hilly 3rd rate. Limb. Oak,
 Hickory &c.

East Between Sec. 11 & 14.
 21.50 a stream 50 Mk. wide course N.E.
 50.10 Intersect Old Indian Boundary line
 and set post. from which
 a Red Bud bush 5 in. dia. bears N 45 E. 12 Mk.
 an Elm 12 in. dia. bears S 81 W. 15 Mk. dist.
 Over hilly land. Limb. Oak, Beech
 Hickory & Sugar.

North Between Sec. 10 & 11.
 28.40 a Sugar 15 in. diam.
 40.00 set gr. sec. post. from which
 a Sugar 8 in. dia. bears 45 E. 10 Mk. dist. &
 a W. Walnut 20 in. dia. " N 73 W. 19 " "
 77.30 a stream 25 Mk. wide course N. W.
 80.00 set post cor. to Sec. 2, 3, 10 & 11, from wh.
 a Buckeye 10 in. dia. bears South 2 Mk. dist.
 a W. Oak 8 " " " N 15 W. 25 " "
 This mile hilly 3rd rate land.
 Beech & Oak Limb.

West Correct line between Sec. 10 & 15.
 39.90 set gr. sec. post. from which
 a Sugar 12 in. diam. bears S 53 W. 14 Mk.
 a Do. - " " " N 51 E. 9 " dist.
 79.80 sec. cor.

North Between Sec. 9 & 10.
 10.50 a stream 10 Mk. wide course E.
 16.50 a Do. 15 " " " S.E.
 23.30 an Elm 15 in. diam.

290

T. 11 N. R. 13 E. 2nd Mer. Indiana.

40.00 set gr. sec. post, from which
 a Wh. Oak 12 in. diam. bears N 40 E. 18 lb. dist.
 a Hickory 15 " " " " N 61 W. 23 " "
 63.50 a stream 8 lb. wide course N. E.
 64.10 a Beech 20 in. dia.
 80.00 set post cor. to Sec. 3, 14, 9 & 10, fr. wh.
 a Sugar 12 in. dia. bears N 69 E. 10 lb. dist. X
 a Do. 14 " " " " N 80 W. 30 " "
 Over hilly 3rd rate land. Timb.
 Oak Beech and Sugar.

West correct line betw^{en} sec. 9 & 16.

40.23 set gr. sec. post from which
 a Hickory 8 in. diam. bears N 11 W. 12 lb. dist. X
 a Bl. Oak 6 " " " " N 14 E. 26 " "
 80.46 section corner.

North Between Sec. 8 & 9.

40.00 set gr. sec. post, from which
 a Sugar 6 in. dia. bears N 45 W. 13 lb. dist. X
 a Dogwood 6 in. " " " " S 54 E. 13 " "
 80.00 set post cor. to Sec. 4, 5 & 8 & 9, fr. wh.
 a Poplar 30 in. diam. bears South 7 lb. dist.
 a Poplar 24 " " " " N 55 E. 27 " "
 Over hilly 3rd rate land. Timb.
 Oak, Poplar, Beech.

West Correct line betw^{en} sec. 8 & 17.

40.23 set gr. sec. post from which
 a Beech 5 in. diam. bears South 2 lb. dist.
 Marked the same on 4 side for cor.
 80.46 section cor.

North Between sec. 7 & 8.

23.00 a stream 8 lb. wide course N 85 W.
 26.25 a Sugar - in. diam.

T. 11 N. R. 13 E. 2nd Mer. Indiana.

- 40.00 set q. sec. post. from which
a Hickory 5 in. dia. bears N 82 E. 9 lb. &
a Dogwood " " " S 80 W. 15 " dist.
- 43.47 a Bl. Oak 17 in. diam.
- 80.00 set post cor. of sec. 5, 6, 7 & 8, fr. wh.
a Hickory 8 in. dia. bears N 85 E. 6 lb. dist.)
& a Sugar 12 " " " N 53 W. 15 " "
Land 3rd rate.

West Between sec. 6 & 7.

- 20.00 To the Bank of Pipe Creek 200 lb.
wide course N 30 W. comes from
S 15 W. forded the creek with dif-
ficulty.
- 38.50 a thea in 5 lb. wide N 50 E.
- 40.00 Set q. sec. post. from which
a Wh. Walnut 15 in. dia. bears N 45 E. 9 lb. &
a Blue Ash 5 in. dia. bears S 66 W. 25 " dist.)
- 41.35 Intersect W. Boundary line and set
post. from which
a Sugar 5 in. dia. bears S 17 E. 20 lb. &
a Do. 7 " " " S 62 W. 38 " dist.)
Land, 3rd rate.

North Between sec. 5 & 6.

- 12.00 Pipe Creek 200 lb. to the left.
- 17.06 a Sugar 12 in. diam. in the line
Pipe Creek 30 lb. wide c. W.
- 18.50 To Pipe Creek runs nearly North
Cross to the W. side of Creek
200 lb. at right angles from my
course
- 35.00 Creek interferes with line
Offset 200 lb. West.
- 40.00 the Creek 20 lb. East is soon
makes a turn due East.

292

T. 11 N. R. 13 E. 2nd Mer. Ind^a

42.00 return 400 lb. to true line
Creek south 50 lb. witnessed
a Beech it stands 225 lb. N. of gr. sec.
Cor. the same being in the Creek.

74.89 Intersect N. Boundary of Township
N: 11 North, Range 13 E. Measured to Mr.
Holmes corner for T. 12 N. R. 13 E. find
it 10.40 lb. East a sugar marked on
four sides Cor. to Sec. 5 & 6.
This mile very bushy.

East on Random between Sec. 5 & 8.

13.50 a stream 8 lb. wide N 20 W.

40.00 Set temp^y. sec. post.

76.10 a stream 5 lb. wide course N.

80.79 Intersect N & S. line fell 5 lb. N. of
post This mile $3\frac{1}{2}$ rate land
hilly, much brush and green birch

East on Random between Sec. 4 & 9.

19.25 a stream course N. W.

40.00 Set temp^y. gr. sec. post.

80.54 Intersect N & S. line 75 lb. E. of post.
Over hilly $3\frac{1}{2}$ rate land. Limb.
Oak, Beech Hickory Sugar & Poplar.

East on Random between Sec. 13 & 10.

40.00 Set gr. sec. post. from which

79.90 Intersect N & S. line at post.

Over first rate land (bottom).—
Limb. Walnut, Sugar, & Beech and
Buckeye, Spice and under brush

East Between sections 2 & 11.

30.00 Came to the W. Fork of White Water
runs N 10 E. 300 lb. wide.

T. 11 N. R. 13 E. 9th Mer. Ind.

Ch. 40.

40.00 set gr. sec. post.

(nothing more said.)

56.60 Intersect Old Indian Boundary line & set post. from which
 a Maple 14 in. dia. bears S 34 W, 24 lb. dist.
 a Locust 15 " " " N 60 W, 13 " "
 Over flat land, overflows in high water.

North Between Secs. 2 & 3.

40.00 set gr. sec. post. from which
 a Sycamore 20 in. dia. bears S 15 E, 22 lb.
 a Hackberry = " " " S 58 E, 20 " dist.

57.50 To the Mouth of White Water runs East.

70.70 Intersect Town line 747 lb. E. of post.
 set post cor. to Secs. 2 & 3, from which
 a Sugar 12 in. dia. bears N 68 W, 35 lb.
 a Do. 8 " " " N 17 E, 33 lb. dist.
 Low Bottom land.

West corner line betwⁿ Secs. 3 & 10.

39.95 set gr. sec. post. from which
 a Hickory 12 in. dia. bears S 43 W, 9 lb. dist.
 a Buckeye 12 " " " S 41 E, 12 " "

79.90 Section corner.

North Between Sections 3 & 4.

40.00 set gr. sec. post. from which
 a Sugar 15 in. dia. bears N 23 W, 12 lb. dist. &
 an Elm 12 " " " West 22 " "

52.00 To water 280 lb. wide

79.10 Intersect Town Boundary 795 lb. W.
 of Holmes corner. & set post corner
 to Secs. 3 & 4, from which
 a Sugar 4 in. dia. bears S 83 E, 9 lb. dist.

T. 11 N. R. 13 E. 2nd Mer. Ind. ²⁹⁴

Ch. W. a Buckeye 10 in. dia. bears N 81 W, 12 lb. dist.
Over first rate Bottom land.
Timb. Sugar Ash & Walnut.

West Correct line between Sec. 4 & 9.

40.27 Set gr. sec. post. from which
a Gum 12 in. dia. bears N 92 W, 6 lb. dist.
80.54 a Sugar 12 " " " N 22 E, 9 " "
80.54 Section corner.

North Between Sec. 4 & 5.

2.50 a Gum 15 in. diam.
34.00 To W. Water Bottom over hilly land.
40.00 Set gr. sec. post. from which
a Sycamore 12 in. dia. bears N 73 E, 13 lb.
a Do. 6 in. dia. bears S 74 W, 11 lb. dist.
40.75 To Wh. Water 280 lb. wide runs
N 60 E.
51.20 an Elm 22 in. diam.
73.48 To Town Boundary 10 ch. W. of Mr.
Holmes Corner. This cor. is a
pond no trees near.
Land level rich. Timb. Sycamore
Elm Sugar & Walnut

West correct line between Sec. 5 & 8.

40.00 Set gr. sec. post. from which
a Bl. Oak 14 in. dia. bears S 60 W, 13 lb. dist.
a Hickory 8 " " " N 44 E, 29 " "
80.00 Sec. cor.

Surveyed in 1810.

By William L. Darrow.

Deputy Surveyor.

North Between Sec. 31 & 32.

40.00 an Ironwood 8 in. diam. stands for

T11 N. R. 13 E. 2nd Mer. Ind^a

gr. sec. cor. post.

43.00 Intersect Boundary line and set
a post, from which
a Sugar 10 in. dia. bears N 11 W. 14 lb. dist.
on the side of a steep hill. This
distance broken Timber: Oak & Sugar
land 3rd rate.

North Between Sec. 32 & 33.

20.25 a stream 12 lb. wide course E.

40.00 Set gr. sec. post, from which
a Wh. Oak 14 in. dia. bears N 70 W. 4 lb.
a Bl. Oak 8 " " East 4 lb. dist.

80.00 a Wh. Oak 16 " " " stands for the
post cor. to Sec. 28, 29, 32 & 33.
Land, Broken. Timber: Oak, Hickory
&c. much brush & briars, 3rd rate land.

North Between Sec. 28 & 29.

21.62 To the New Indian boundary &
set a post, from which
a Hickory 12 in. dia. bears North 4 lb. dist.
a do 12 " " " South 2 " "
Land &c. same.

West Between Sec. 29 & 32.

31.50 To the Indian Boundary line
& set a post, from which
a Hickory 3 in. dia. bears N 40 E. 14 lb. &
a Dogwood 5 " " " S 36 E. 31 lb. dist.
Timber: Beech, Oak, Hickory, 3rd rate.

North Between Sec. 33 & 34.

28.00 a stream 4 lb. wide course E.

40.00 Set gr. sec. post, from which
a Poplar 14 in. dia. bears N 70 W. 10 lb. dist.

296

T. 11 N. R. 13 E. 2nd Mer. Indiana.

ch. 40. a Poplar 10 in. dia. bears N 45 E. 10 lb. dist.
80.00 set post cor. to sec. 27, 28, 33 & 34, fr. wh.
a Hickory 3 in. dia. bears S 25 W. 13 lb. dist.
a Do. 4 " " " N 30 W. 9 " "
Land, Broken. Limb. Oak &
Hickory.

West on Range ^{or} betw ^{or} sec. 28 & 33.
40.00 set temp. q. sec. post.
80.00 Intersect N & S. line 14 lb. S. of post.

East correct line betw ^{or} sec. 28 & 33.
40.00 Set q. sec. post. from which
a Wh. Oak 20 in. dia. bears S. 5 lb. dist. &
an Oak 18 " " " North 18 " "
80.00 Section Corner.

North Between sections 27 & 28.
40.00 set q. sec. post. from which
a Gum 8 in. diam.
71.40 Intersect Boundary line and set
a post, from which
a Gum 3 in. dia. bears South 10 lb. dist. &
a Do. 10 " " " N 20 W. 21 " "
Land on this mile level. Limb.
Oak, Hickory Dogwood bush and
briers. 3rd rate.

North Between Sec. 34 & 35.
40.00 Set q. sec. post. from which
a Dogwood 4 in. dia. bears S 6 lb. dist. &
a Dogwood 3 " " " N 3 W. 14 " "
52.00 Water Course 8 lb. wide course E.
80.00 Set post cor. to Sec. 26, 27, 34 & 35, fr. wh.
a Dogwood 4 in. dia. bears N 10 E. 8 lb. dist. &
a Wh. Oak 12 " " " S 10 W. 14 " "

T. 11 N. R. 13 E. 2nd Mer. Indiana
Land 3rd rate, Oak Hickory &c.

West On Road ^{2nd} betwⁿ sec. 27 & 34.
40.00 Set temp. q. sec. post.
79.80 Intersect N & S. line 9 blk. S. of post.

East Corner line betwⁿ sec. 27 & 34.
39.90 Set q. sec. post, from which
a wh. Oak 10 in. dia. bears N 10 W. 16 blk. dist.
a do. 6 " " " S 4 E. 3 " "
72.11 a wh. Oak 18 " "
79.80 Section corner.

East Between Sections 26 & 35.
17.70 To the Old Indian Boundary line
& set post, from which
a wh. Oak 20 in. dia. bears N 3 W. 4 blk. dist.
& a hickory 4 " " " S 20 E. 6 " "
Land 3rd rate, Limb. Oak, Hickory

North Between Sec. 26 & 27.
40.00 Set q. sec. post, from which
a wh. Oak 12 in. dia. bears S 40 E. 24 blk. dist.
a wh. Oak 28 " " " N 58 W. 30 " "
64.03 a do. 14 " "
80.00 Set post cor. to Sec. 22, 23, 26 & 27, fr. wh.
a wh. Oak 18 in. dia. bears N 14 W. 9 blk. dist.)
& a Dogwood 6 in. " " S 19 W. 4 " "
Land, not mentioned

North Between Sec. 22 & 23.
25.00 a stream 20 blk. wide course E.
40.00 Set q. sec. post, from which
a wh. Oak 12 in. dia. bears N 30 W. 22 blk. dist.
a do. 18 " " " S 60 E. 21 " "
44.24 To Indian Boundary line and

298

T. 11 N. R. 13 E. 2nd Mer. Ind^a

and set a post, from which
a Poplar 6 in. dia. bears N 64 W. 26 lb. dist. X
~~a Wh. Oak 18 " " " S 60 E. 21 " "~~
Land, Broken. Oak Sugar &c.

West Between sec. 22 & 27.

40.00 Set gr. sec. post, from which
a Gum 12 in. dia. bears N 79 W. 15 lb. dist. X
a Dogwood 4 in. " " S 98 E. 8 " "

66.70 To the New Indian Boundary line
& set post, from which
a Gum 3 in. dia. bears S 72 E. 6 lb. dist. X
an Ironwood 4 in. dia. bears N 4 E. 17 lb. X
Land Broken. Oak, Hickory Brush
& Briers, 3rd rate.

East Between sec. 23 & 26.

18.00 a stream 8 lb. wide course E.

27.80 To the Old Indian Boundary &
set a post, from which
a Wh. Oak 14 in. dia. bears N 38 W. 28 lb. X
a Do. 12 " " " S 6 W. 14 " dist. X
Land Broken, Limb. Hickory
Sugar &c. brush and Briers.

Surveyed in 1806

By Stephen Ludlow.
Deputy Surveyor.

I certify that the foregoing transcripts of the
field notes of Township T. 11 N. R. 13 East,
of the 2nd Principal Meridian, Indiana,
has been compared with the original
in this office and found to be correct.

Surveyor General's Office,
Detroit Nov. 1, 1849 }

Lucius Lyon,

Sur. Genl.